

November 15 - 17, 2005: Town & Country Convention Center - San Diego, CA

# PMW 160 Information Assurance 101

**Dr. Gus Lott** 

Principal Engineer, YARCOM 17 November, 2005





## Objectives




- ■What is Information Assurance?
- ■Why should you care about IA?
- ■What are some of the core concepts of IA?
- ■Where can you go for help.



# What is Information Assurance (IA)?



"Measures that Protect and Defend Information and Information Systems by Ensuring Their <u>Availability, Integrity, Authentication, Confidentiality, and Non-Repudiation</u>. This Includes Providing for Restoration of Information Systems by Incorporating <u>Protection, Detection, and Reaction</u> Capabilities."



DoD Directive 8500.1
24 October 2002




# Why Should You Care About Information Assurance (IA)?



# Presidential Decision Directive 63 (May 1998)

"... a national effort to ensure the security of the increasingly vulnerable and interconnected infrastructure of the United States, especially the cyberbased infrastructure."







# IA is an Enabler for all Information Systems



- We <u>Count</u> on Information Superiority to Improve Combat Effectiveness
  - Full Spectrum Dominance
  - Network Centric Warfare
- IA <u>Enables</u> Information Superiority in a Network-Centric Paradigm
  - Global Secure, Interoperable
     Network
  - State-of-the Art Protection for Information Infrastructure

#### **Naval Transformation**

Power Projection Precision Engagement Focused Logistics Assured Access

#### **Network Centric Warfare**

Info Sharing Virtual Collaboration
Streamlined Planning Better Awareness

#### Information Superiority

Decision Superiority Knowledge Management
Uninterrupted Info Flow Integrated C4ISR

Secure
Networks
Trusted
Applications
Trained
Workforce

Information Assurance



## **USN Compliance Roadmap**



Security of Federal Automated
Information Resources
Appendix III, OMB Circular A-130
Management of Federal Information
Resources, November 30, 2000

Information Assurance DODD 8500.1 Oct 24, 2002

> Protecting Sensitive Compartmented Information Within Information Systems DCID 6/3 June 5, 1999

Information Assurance Implementation DODI 8500.2 Feb 6, 2003

Department of the Navy
Information Systems Security
(INFOSEC)
SECNAVINST 5239.3A Dec 20, 2004

Navy Information Assurance (IA) Program OPNAVINST 5239.1B Nov 9, 1999



### Support to FORCEnet



- Compliance with interoperability statutes and the <u>Defense Standardization</u> <u>Program</u> (10 USC 2451, 10 USC 2452, & DODI 4120.24)
- Lead development of the Fn architecture Technical View
   IA standards sections – Mandated standards and emerging standards
- Also supporting the Maritime Cryptologic Architecture TV 3.1 development

#### **Mobile Code example**


- IA control DCMC-1, DODI 8500.2
- FORCENET development will minimize the use of category 1 mobile code technologies, based upon risk management, capability required, and economic analysis. Where necessary, all category 1 mobile code will be digitally signed using DOD PKI and using industry standard techniques such as Microsoft Authenticode™.
- FORCENET use of Java category 2 mobile code will include the COTS security model for (1) Sun Java™ 2.0 (Security Code Guidelines February 2000) or (2) Microsoft J++ (Trust-Based Security for Java April 2000). All FORCENET Java applets will be signed using Javakey, Signkey, or Authenticode technologies.
- FORCENET scripting languages will comply with EMCA-262/ISO-16262 standard scripting language or Netscape Javascript version 1.5.
- FORCENET web scripting services will comply with World Wide Web Consortium standard XHTML™ 1.0, "The Extensible Hypertext Markup Language," which is a reformulation of HTML 4 in XML 1.0, January 2000.



## Who's calling or typing?



FINLAND





All figures are given in millions of minutes of telecommunications traffic for the public telephone returns.

The map shows all intra-Asian routes with a combined 2000 volume of more than 50 million minutes.

#### Traffic Flows

500 200 50 Million Minutes

Each band is proportional to the total annual traffic on the public telephone network in both directions between each pair of countries.

#### O Total Outgoing Traffic

500 1,500 Million Minutes

The area of each circle is proportional to the volume of the total annual outgoing traffic from each country.

#### - Balance of Traffic

On routes where traffic in one direction accounts for more than 60% of the total, an arrow shows the direction of most of the traffic flows.

#### Key

All figures are given in millions of minutes of telecommunications traffic for the public telephone

The map shows all intra-European routes with a combined 2000 volume of more than 200 million minutes

#### Traffic Flows

s of ions 600 400 200 one Million Minutes

Each band is proportional to the total annual traffic on the public telephone network in both directions between each pair of countries.

#### O Total Outgoing Traffic



The area of each circle is proportional to the volume of the total annual outgoing traffic from each country.

#### → Balance of Traffic

To Turkey 79% →


On routes where traffic in one direction accounts for more than 60% of the total, an arrow shows the direction most of the traffic flows.

To Turkey



# **Growth of Fiber Connectivity**








# Internet Growth US Households Online





Online Population (Percent)


Online Population (Number) -

Source: The Digital Economy Fact Book, Fifth Edition 2003



### High Speed Line Growth 1999-2004








#### Information Communities







### National Security Info




- Title 40 USC Chapter 25 Sec. 1452
  - (a) "In this part, the term "national security system" means any telecommunications or information system operated by the United States Government, the function, operation, or use of which -
    - (1) involves intelligence activities;
    - (2) involves cryptologic activities related to national security;
    - (3) involves command and control of military forces;
    - (4) involves equipment that is an integral part of a weapon or weapons system; or
    - (5) subject to subsection (b) of this section, is critical to the direct fulfillment of military or intelligence missions.
  - (b) Limitation Subsection (a)(5) of this section does not include a system that is to be used for routine administrative and business applications (including payroll, finance, logistics, and personnel management applications)."
- May be Classified or Unclassified



#### IA Across the Stack







# **Crypto Security**




- Provisioning of technically sound cryptographic systems and their proper use.
- Cryptography is derived from the Greek words: kryptós, "hidden", and gráphein, "to write" - or "hidden writing".
- Denies access to the information by an unauthorized recipient for an estimated period of time
- Includes an entire system
  - Algorithm
  - Appliances
  - Key Management Infrastructure
  - Policies and Procedures



## Symmetric System



 Encryption methodology in which the encryptor and decryptor use the same key, which must be kept secret.



Key known to both


Kept SECRET from all others



## Asymmetric System



- Two key parts public & private
- Encrypt with public key and decrypt with private key






### TLS/SSL



Network Ports Used by TLS/SSL
Port Assignments for Common Applications over TLS/SSL

FF	
Service Name	TCP
smtp	25
https	443
nntps	563
Idaps	636
ftps-data	989
ftps	990
telnets	992
imaps	993
pop3s	995
ms-sql-s	1433
mfst-gc-ssl	3269
tftps	3713



\* Optional or situation-dependent messages


[Change Cipher Spec] is not a TLS handshake message but is an independent, TLS Protocol content type that helps the parties avoid a pipeline stall.





#### **TRANSEC**



- Five basic methods
  - Direct Sequence
  - Frequency Hopping
  - Time Hopping
  - Pulsed FM (Chirp)
  - Short-Duration (Burst)









#### **OPSEC**



- What is OPSEC (DODD 5200.5) ?
  - A <u>process</u> of identifying critical information and subsequently analyzing friendly actions attendant to defense acquisition, defense activities, military operations, and other activities to:
    - Identify those actions that may be observed by adversary intelligence systems.
    - Determine what indicators hostile intelligence systems may obtain that could be interpreted or pieced together to derive critical information in time to be useful to adversaries.
    - Select and execute measures that eliminate or reduce to an acceptable level the vulnerabilities of friendly actions to adversary exploitation.



## **Physical Security**




- Availability
- Most Effective Denial of Service Attack = Backhoe
- Threats to hardware and software
  - Power loss
  - Fire or water damage
  - Disaster
  - Contamination
  - Theft
  - Hostile Attack
- Think restoration and recovery
- Sensors to detect problems before they become severe



# Availability Through Coordination







## Vulnerability and Threat Definitions



# **Vulnerability**

Weakness in an information system, or cryptographic system, or components (e.g., system security procedures, hardware design, internal controls) that could be exploited.


# **Threat**

Capabilities, intentions, and attack methods of adversaries to exploit, or any circumstance or event that will cause harm or has the potential to cause harm to, information or an information system.



#### **Threat Vectors**






contractors

crackers



# Threats Resulting in Crime or Loss





Source: Computer Security Institute



### **Natural Threats**



- Fire
- Lightning
- Flood
- Earthquake







### **Unintentional Threats**



- Accidents
- Carelessness
- Uninformed Actions
- Bad Habits





### **Intentional Threats**




### Insiders

Computer Abuser

## Outsiders

- Hacker
- Corporate Raider
- ForeignIntelligence





# Intentional Insider - The "Computer Abuser"



Computer abuse is the intentional or unintentional misuse, abuse, destruction, alteration, or disruption of data processing resources.

- Access
- Motivation
- Safeguards





# Vulnerability and threat analyses involves:



- IA analysis techniques are selected and used
- Vulnerabilities, their type, source, and severity are identified
- Threats, their type, source, and likelihood are identified
- Transaction paths, critical threat zones, and risk exposure are evaluated



## **IA Roadmap Steps**



- Establish an IA organization
- Identify IA requirements
- Develop an acquisition IA strategy
- Secure resources for IA
- Initiate DITSCAP
- Incorporate IA solutions
- Test and evaluate IA solutions
- Accredit the system
- Maintain the system's security posture throughout its life-cycle



# **C&A Terminology**



Certification: "Comprehensive evaluation of the technical and non-technical security features of an Automated Information System (AIS) and other safeguards, made in support of the accreditation process to establish the extent to which a particular design and implementation meets a seriof specified security requirements." \*

\* DoDI 5200.40, DoD Information Technology Security Certification and Accreditation Process (DITSCAP) 12/30/97

Accreditation: "Formal declaration by a Designated Approving Authority (DAA) that an AIS is approved to operate in a particular security mode using a prescribed set of safeguards at an acceptable level of risk." \*

\* NSTISSI No. 4009, National Information Systems Security (INFOSEC) Glossary January 1999.



## **C&A Guiding Policies**



#### DoDI 5200.40:

 DoD Information Technology Security Certification and Accreditation Process (DITSCAP), Dec 1997.

#### DoD 8510.1-M

- DITSCAP Application Manual, July 31, 2000
- Describes implementation activities and documentation

#### DoDI 8500.1:

- Information Assurance (IA), October 24, 2002
- Supercedes older policies (DoD 5200.28, Orange Book)

### DoD 8500.2

- Information Assurance (IA) Implementation, February 6, 2003
- Establishes baseline IA Controls in accordance with Mission Assurance Categories



#### DoDD 8500.1



- IA requirements shall be included in all information system acquisitions or upgrades
- IA shall be "a visible element of all investment portfolios" including competitively-sourced IS
- All DoD IS shall be assigned an appropriate Mission Assurance Category
- Community risk shall be assessed and measures taken to mitigate that risk prior to interconnecting systems
- All DoD IS shall be certified and accredited IAW 5200.40
- All IA or IA-enabled IT must be validated in compliance with NSTISSP 11
- Systems enabling coalition operations shall be approved by the responsible Combatant Commander and DAAs



# Baseline IA Levels - The Process



# Determine the System Mission Assurance Category:

### • Category I:

- Vital to Effectiveness/Readiness of Deployed Forces
- Any Loss Unacceptable
- Immediate/Sustained Loss of Mission Effectiveness
- Most Stringent Protection Measures Required

### Category II:

- Important to Support Deployed Forces
- Loss of Integrity Unacceptable; Loss of Availability Difficult to Manage
- Loss/Degradation only tolerable for short term = May Seriously Impact Mission Effectiveness/Operational Readiness
- Additional Safeguards Beyond Best Practices Required

#### Category III:

- Needed for Day-to-Day business, Does Not Affect Support to Deployed or Contingency Forces in the short-term
- Loss Tolerated or Overcome without Significant Impact on Mission Effectiveness or Operational Readiness
- Protective Measures Commensurate with Commercial Best Practices



# Example - DCSR -1 through -3 Security Design and Configuration



#### MAC I -

 Only high-robustness GOTS or COTS IA and IA-enabled IT products are used to protect classified information when the information transits networks that are at a lower classification level than the information being transmitted.

# • MAC II -

 At a minimum, medium-robustness GOTS or COTS IA and IA-enabled IT products are used to protect sensitive information when the information transits public networks or the system handling the information is accessible by individuals who are not authorized to access information on the system.

### MAC III –

 At a minimum, basic-robustness GOTS or COTS IA and IA-enabled products are used to protect publicly released information from malicious tampering or destruction and ensure its availability.



# DoD IA Controls Subject Areas



- Security Design & Configuration
- Identification & Authentication
- Enclave & Computing Environment
- Enclave Boundary Defense
- Physical & Environmental
- Personnel
- Continuity
- Vulnerability & Incident Management



#### IA Web Resources







https://infosec.navy.mil/

https://infosec.navy.smil/

http://iase.disa.mil/policy.html#Acquisition